

Logco 10w/40 Engine Oil

Engine Oil

Description Logco 10w/40 Engine Oil is a multi-graded engine oil for mixed vehicle fleets. It is suitable for petrol engines plus most naturally aspirated and turbocharged diesel engines used in commercial vehicles and passenger cars.

Advantages Logco 10w/40 Engine Oil meets the following major specifications and performance standards:

- ACEA A3/B3/E2
- API SJ/CG-4
- Mercedes Benz MB229.1 & 228.1
- MAN 270/271
- Volvo VDS
- Volkswagen TL-VW 501 & 505.00

Application

- Excellent resistance to oxidation
- Excellent anti-sludge properties
- Low ash quality oil which minimises deposit formation
- Excellent multi-grade stability in service
- Excellent engine protection against wear and corrosion
- High detergency/dispersancy properties show improved engine cleanliness

| | | |
|-----------------------|-------------------------------|----------------------------------|
| Technical Data | Appearance | Low viscosity light brown liquid |
| | Specific Gravity @ 15.6c | 0.87-0.89 |
| | Flash Point (PMCC) | 205°C |
| | Viscosity cSt @40°C | 97 |
| | Viscosity cSt @100°C | 14.5 |
| | Pour Point | -30° |
| | Viscosity Index | 155 |
| | Shelf Life (sealed container) | 12 months minimum |

Health & Safety

When working with Logco 10w/40 Engine Oil suitable protective clothing, eye/face protection and gloves should be worn.

For further health and safety information, please refer to the relevant Safety Data Sheet

Packaging

Logco 10w/40 Engine Oil is available in 5, 20 and 200 Litre Containers

Storage

Logco 10w/40 Engine Oil should be stored under dry, frost-free conditions away from direct sunlight, under such conditions the shelf life is at least twelve months.

Logco 10w/40 Engine Oil must not be stored above 60°C.

Important Note

Whilst all reasonable care is taken in compiling technical data on the Company's products, all recommendations or suggestions regarding the use of such products are made without guarantee, since the conditions of use are beyond the control of the Company. It is the responsibility of the customer to satisfy himself that each product is fit for the purpose for which he intends to use it, that the actual conditions of use are suitable, and that in the light of our continual research and development programme the information relating to each product has not been superseded.