

*Water Based Concrete Hardener,
Dustproof & Curing Agent*

eco-cure WW



Product Description

eco-cure WW is a ready to apply aqueous solution of metal silicates which is designed to improve, harden, dustproof and cure both new and existing concrete floors.

Technical Data

| | |
|-------------------------------|-----------------------------|
| Appearance | Clear liquid |
| Specific Gravity @ 15.6c | 1.2 |
| Flash Point (PMCC) | Non-Flammable |
| Freezing Point | -5c |
| Average Coverage | 5.5m ² per Litre |
| Shelf Life (sealed container) | 24 months |
| Total Solids | 11% |
| Active Ingredients | 100% of total solids |
| Depth of Surface Protection | 2—8mm |
| VOC Content | Nil |

Advantages

- Unaffected by oil and grease.
- Improves wear and abrasion resistance.
- Dustproofs and reduces permeability to liquids.
- Extremely economical and easily applied.
- Cures new concrete.

Application

- ▲ **eco-cure WW** is supplied ready to use and should be applied to the concrete floor by watering can, it can also be spray applied.
- ▲ Spread to cover the entire surface to be treated with a brush or squeegee and kept moving until absorption is no longer evident. Any excess liquid should be removed to leave a wet surface without ponding or puddling.
- ▲ A second coat, and if deemed necessary subsequent coats, of **eco-cure WW** should be applied after 24 hours using the same application regime.
- ▲ Following the final treatment remove any excess material sitting on the concrete surface.
- ▲ Ensure any excess material is disposed in accordance with local regulations. All equipment should be cleaned immediately after use with water.
- ▲ Contact with glass, metal, paintwork or clothing should be avoided.

eco-cure WW

Health & Safety

- **eco-cure WW** is alkaline in nature.
- When working with **eco-cure WW** suitable protective clothing, eye/face protection and gloves should be worn.
- For further health and safety information, please refer to the relevant Safety Data Sheet.

Packaging

eco-cure WW is available in 5, 20 and 200 Litre Containers. IBC's on request.

Storage

eco-cure WW should be stored under dry, frost-free conditions away from direct sunlight, under such conditions the shelf life is at least twelve months.

Important Note

Whilst all reasonable care is taken in compiling technical data on the Company's products, all recommendations or suggestions regarding the use of such products are made without guarantee, since the conditions of use are beyond the control of the Company. It is the responsibility of the customer to satisfy himself that each product is fit for the purpose for which he intends to use it, that the actual conditions of use are suitable, and that in the light of our continual research and development programme the information relating to each product has not been superseded.

Technical Services

Logco's Customer Services Department has a team of experienced advisors available to provide on-site advice both at the specification stage and during application. Detailed specifications can be provided for specific projects or more general works. Site visits and on-site demonstrations can be arranged on request.

Technical Helpline
Tel: 0113 216 8822
e-mail: technical@logco.co.uk

Sales Enquiries

Logco products are distributed throughout the UK through selected stockists and distributors.

Please contact the relevant Customer Services Team below for all product orders and enquiries.

Sales Team
Tel: 0113 216 8822
e-mail: sales@logco.co.uk

Leeds Oil & Grease Co. Ltd
 Clifffdale Road, Leeds, West Yorkshire, LS7 2JF, UK
 Tel: 0113 216 8822 Fax: 0113 216 8833 e-mail: sales@logco.co.uk, technical@logco.co.uk
www.logco.co.uk



To the best of our knowledge and belief, this information is true and accurate, but as conditions of use and any labour involved are beyond our control, the end user must satisfy himself by prior testing that the product is suitable for his specific application, and no responsibility can be accepted, or any warranty given by our Representatives, Agents or Distributors.