Chemical Compounds for Construction

SITECURE SEALER PF

Concrete Curing and Sealing Compound for Power Floated Floors

PRODUCT DESCRIPTION

Sitecure Sealer PF a clear acrylic polymer resin solution for application to surfaces of freshly laid concrete floors that have been finished by power floating. It has a double function, firstly to form

a highly effective curing membrane that confirms to ASTM.C309 and secondly to act as a penetrating sealer for the hardened concrete. It gives a surface that is dustproof and extremely hard wearing.

TECHNICAL DATA

Colour	Clear
Coverage	12 sq.mts per litre will generally be sufficient
Packaging	200 Litre, 25 Litre container
Storage	Flash point 38ºC. Store away from source of heat.
	Keep container closed after use.
Shelf Life	1 year in sealed container when stored as
	recommended

BENEFITS

- Curing and sealing in one operation saving time and labour.
- Touch dry within 2-6 hours.
- Curing efficiency 75% in accordance with ASTM C309.
- Provides abrasion resistant hard wearing easy-clean surface.
- Ready to use, easy to spray application.

APPLICATION

- Do not dilute Sitecure Sealer PF.
- Apply by fen-jet sprayer to achieve a typical coverage of 12m² per litre immediately after final finishing and surface water is no longer evident.
- Avoid over application, avoid material to form "puddles" but just to leave a wet gloss appearance.
- Pump pressure should be maintained at a level producing a fine spray.
- Clean fine and nozzle thoroughly with solvent cleaner
 immedately after spraying.

IMPORTANT NOTICE

Whilst all reasonable care is taken in compiling technical data on the Company's products, all recommendations or suggestions regarding the use of such products are made without guarantee, since the conditions of use are beyond the control of the Company.

It is the responsibility of the customer to satisfy himself that each product is fit for the purpose for which he intends to use it, that the actual conditions of use are suitable, and that in the light of our continual research and development programme the information relating to each product has not been superseded.

www.logco.co.uk

Unit B8 | Lowfields Business Park | Warhurst Road | Elland | HX5 9DF



0113 216 8811 0113 216 8833 sales@logco.co.uk To the best of our knowledge and belief, this information is true and accurate, but as conditions of use and any labour involved are beyond our control, the end user must satisfy himself by prior testing that the product is suitable for his specific application, and no responsibility can be accepted, or any warranty given by our Representatives, Agents or Distributors.